smiths medical cadd

CADD® Ambulatory Infusion Systems

Ordering Information







CADD® Tubing Sets with Flow Stop Free-Flow Protection



CADD® Extension Sets



CADD® Pumps and PharmGuard® Software



CADD® Pump Accessories



CADD® Ambulatory Tubing Sets with Flow Stop Free-Flow Protection

CADD® ambulatory tubing sets with Flow Stop protect against unregulated gravity fluid infusion by automatically activating to close the fluid path when the administration set or reservoir is removed from the pump. The system not only protects against unintentional gravity infusion but also allows gravity priming when the set is not attached to the pump.



CADD® Standard Administration Sets with Flow Stop Free-Flow Protection

- Maximum delivery rate up to 250 mL/hr with CADD®-Solis model 2110 v3 and above and CADD®-Solis VIP pumps, all models
- Maximum delivery rate up to 175 mL/hr with CADD®-Solis model 2100 (all versions) and model 2110 v1.0 and v2.0 pumps
- Maximum delivery rate up to 125 mL/hr with CADD-Legacy® pumps

Product Code Description	Quantity
CADD® Administration Set with female Luer, flow stop, clamp, and one-way checkwith male Luer (for use with a syringe), not manufactured with DEHP Length: 102 in. (259 cm) Priming Volume: 2.7 mL	valve 12/box
CADD® Administration Set with bag spike, flow stop, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 78 in. (198 cm) Priming Volume: 2.3 mL	ve 12/box
CADD® Blue Striped Administration Set with bag spike, flow stop, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 78 in. (198 cm) Priming Volume: 2.3 mL	12/box
CADD® Yellow Striped Administration Set with bag spike, flow stop, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 123 in. (312 cm) Priming Volume: 3.2 mL	12/box
CADD® Administration Set with male Luer, flow stop, clamp, and one-way checkval with male Luer, not manufactured with DEHP Length: 69 in. (175 cm) Priming Volume: 2.0 mL	lve 12/box
CADD® Administration Set with female Luer, flow stop, y-extension, one-way checkwalve with male Luer, and clamps (for use with a syringe), not manufactured with DEHP Length: 102 in. (259 cm) with 3 in. (7.6 cm) pigtail Priming Volume: 4.0 mL	kvalve 12/box
CADD® Administration Set with bag spike, flow stop, y-extension, one-way checkva with female Luer, one-way checkvalve with male Luer, and clamps, not manufactur with DEHP Length: 108 in. (274 cm) with 3 in. (7.6 cm) pigtail Priming Volume: 4.2 mL	
CADD® Yellow Striped Administration Set with male NRFit™ Connector with one-way checkvalve, bag spike, flow stop, and clamp, not manufactured with DEHP Length: 123 in. (312 cm) Priming Volume: 3.2 mL	ay 12/box



CADD® Standard Administration Sets with Air-Eliminating Filters and Flow Stop Free-Flow Protection

- Maximum delivery rate up to 250 mL/hr with CADD®-Solis model 2110 v3 and above and CADD®-Solis VIP pumps, all models
- Maximum delivery rate up to 175 mL/hr with CADD®-Solis model 2100 (all versions) and model 2110 v1.0 and v2.0 pumps
- Maximum delivery rate up to 125 mL/hr with CADD-Legacy® pumps

Product Code	Description	Quantity
21-7336-24	CADD® Administration Set with bag spike, flow stop, 0.2-micron aireliminating filter, spiral tubing, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 94 in. (239 cm) Priming Volume: 10.0 mL	15/box
21-7383-24	CADD® Administration Set with bag spike, flow stop, 1.2-micron aireliminating filter, spiral tubing, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 93 in. (236 cm) Priming Volume: 8.0 mL	15/box
21-7339-24	CADD® Yellow Striped Administration Set with bag spike, flow stop, 0.2-micron air-eliminating filter, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 130 in. (330 cm) Priming Volume: 6.2 mL	12/box
21-7394-24	CADD® Administration Set with bag spike, flow stop, 0.2-micron aireliminating filter, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 108 in. (274 cm) Priming Volume: 3.3 mL	12/box
21-7395-24	CADD® Administration Set with female Luer, flow stop, 0.2-micron aireliminating filter, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 102 in. (259 cm) Priming Volume: 3.1 mL	12/box
21-7333-24	CADD® Administration Set with bag spike, flow stop, 1.2-micron aireliminating filter, clamp, needleless injection site, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 114 in. (290 cm) Priming Volume: 15.5 mL	15/box
21-7639-24	CADD® Yellow Striped Administration Set with male NRFit™ Connector with one-way checkvalve, flow stop, 0.2-micron air-eliminating filter, and clamp, not manufactured with DEHP Length: 130 in. (330 cm) Priming Volume: 6.2 mL	12/box



CADD® High Volume Administration Sets with Flow Stop Free-Flow Protection

- Maximum delivery rate up to 500 mL/hr with CADD®-Solis model 2110 v3 and above or CADD®-Solis VIP pumps, all models
- **NOT COMPATIBLE** with CADD-Legacy®, CADD®-Solis model 2100 (all versions) and model 2110 v1.0 and v2.0 pumps

Product Code	Description	Quantity
21-7355-24	CADD® High Volume Administration Set with bag spike, flow stop, 0.2-micron air-eliminating filter, clamp, injection site, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 120 in. (305 cm) Priming Volume: 20 mL	15/box
21-7357-24	CADD® High Volume Administration Set with bag spike, flow stop, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 92 in. (234 cm) Priming Volume: 11 mL	15/box
21-7375-24	CADD® High Volume Administration Set with bag spike, flow stop, 1.2-micron air-eliminating filter, Luer-activated needleless injection site, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 118 in. (300 cm) Priming Volume: 18 mL	15/box
21-7381-24	CADD® High Volume Administration Set with bag spike, flow stop, 1.2-micron air-eliminating filter, clamp, injection site, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 118 in. (300 cm) Priming Volume: 18 mL	15/box
21-7384-24	CADD® Yellow Striped High Volume Administration Set with bag spike, flow stop, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 123 in. (312 cm) Priming Volume: 16 mL	15/box
21-7385-24	CADD® Yellow Striped High Volume Administration Set with bag spike, flow stop, 0.2-micron air-eliminating filter, clamp, and one-way checkvalve with male Luer, not manufactured with DEHP Length: 136 in. (345 cm) Priming Volume: 23 mL	15/box
21-7684-24	CADD® Yellow Striped High Volume Administration Set with male NRFit™ Connector with one-way checkvalve, bag spike, flow stop, and clamp, not manufactured with DEHP Length: 123 in. (312 cm) Priming Volume: 16 mL	15/box
21-7685-24	CADD® Yellow Striped High Volume Administration Set with male NRFit™ Connector with one-way checkvalve, bag spike, flow stop, 0.2-micron air-eliminating filter, and clamp, not manufactured with DEHP Length: 136 in. (345 cm) Priming Volume: 23 mL	15/box



CADD™ Medication Cassette Reservoirs with Flow Stop Free-Flow Protection

Enhance patient mobility and drug security with self-contained medication cassettes. Available to be pre-filled or empty for filling to match each prescription.

- Maximum delivery rate up to 250 mL/hr with CADD®-Solis model 2110 v3 and above and CADD®-Solis VIP pumps, all models
- Maximum delivery rate up to 175 mL/hr with CADD®-Solis model 2100 (all versions) and model 2110 v1.0 and v2.0 pumps
- Maximum delivery rate up to 125 mL/hr with CADD-Legacy® pumps

Must be used with CADD® extension sets

	Product Code	Description	Quantity
50 ml ®	21-7301-24	50-mL CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
100 ml	21-7300-24	100-mL Yellow CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
100 ml	21-7302-24	100-mL CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
250 ml	21-7308-24	250-mL Clear CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, not manufactured with DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
250 ml	21-7309-24	250-mL Yellow CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, not manufactured with DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
250 ml	21-7310-24	250-mL Blue CADD™ Medication Cassette Reservoir with flow stop, female Luer, clamp, and non-vented stopper, not manufactured with DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
100 ml	21-7600-24	100-mL Yellow CADD™ Medication Cassette Reservoir with female NRFit™ Connector, flow stop, clamp, and non-vented stopper, DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
250 ml	21-7609-24	250-mL Yellow CADD™ Medication Cassette Reservoir with NRFit™ Connector, flow stop, female Luer, clamp, and non-vented stopper, not manufactured with DEHP Length: 8 in. (20 cm) Priming Volume: 0.2 mL	12/box
	21-7664-24	Filling adapter to convert a male Luer to a female NRFit™ connector for Pharmacy filling of CADD™ medication reservoirs	50/box
	24-1001-64	Infusion Adapter to lock a male Luer on to a female NRFit™ connector	10/box
	24-1009-64	Cap, female, yellow	50/box
	24-1004-64	Cap, male, non-vented, yellow	50/box



CADD® Extension Sets

For use with CADD™ medication cassette reservoirs to ensure system level accuracy. All integrated with anti-siphon valves for extra protecion against free-flow of fluids.

Product Code	Description	Quantity
21-7040	CADD® Extension Set with male/male Luer, 0.2 micron air-eliminating filter, and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 55 in. (140 cm) Priming volume: 4.6 mL	25/box
21-7045 21-7060	CADD® Extension Set with male/male Luer, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 30 in. (76 cm) Priming Volume: 1.1 mL	50/box 12/box
21-7046 21-7061	CADD® Extension Set with male/male Luer, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 45 in. (114 cm) Priming Volume: 1.4 mL	50/box 12/box
21-7047 21-7062	CADD® Extension Set With male/male Luer, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 60 in. (152 cm) Priming Volume: 1.7 mL	50/box 12/box
21-7052	CADD® Microbore Extension Set with male Luer, 0.2 micron air-eliminating filter, clamp, and integral anti-siphon valve with male Luer, not manufactured with DEHP Length: 60 in. (152 cm) Priming Volume: 1.1 mL	50/box
21-7106	CADD® Extension Set with male/male Luer, 0.2 micron air-eliminating filter, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 60 in. (152 cm) Priming Volume: 1.8 mL	50/box
21-7092	CADD® Checkvalve Extension Set with male/male Luer, y-extension with one-way checkvalve with female Luer, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 68 in. (173 cm) with 3 in. (7.6 cm) pigtail Priming Volume: 2.9 mL	12/box
21-7105	CADD® Yellow Striped Extension Set with male/male Luer, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 90 in. (229 cm) Priming Volume: 2.3 mL	12/box
21-7107	CADD® Yellow Striped Extension Set with male/male Luer, 0.2 micron air-eliminating filter, clamp, and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 100 in. (254 cm) Priming volume: 5.1 mL	12/box
21-7108	CADD® Yellow Striped Extension Set with male/male Luer, 0.2 micron air-eliminating filter and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 90 in. (229 cm) Priming Volume: 2.4 mL	50/box
21-7109	CADD® Blue Striped Extension Set with male/male Luer, 0.2 micron air-eliminating filter and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 90 in. (229 cm) Priming Volume: 2.4 mL	50/box
21-7115	CADD® Checkvalve Extension Set with male/male Luer, y-extension with one-way checkvalve with female Luer, 0.2 micron air-eliminating filter and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 69 in. [175 cm] with 3 in. [7.6 cm] pigtail Priming Volume: 3.2 mL	12/box
21-7605-24	CADD® Yellow Striped Extension Set with male NRFit™ Connector, integral anti-siphon valve, and clamp, not manufactured with DEHP Length: 90 in. (229 cm) Priming Volume: 2.3 mL	12/box
21-7608-24	CADD® Yellow Striped Extension Set with male NRFit™ Connector, 0.2-micron air-eliminating filter and integral anti-siphon valve with clamp, not manufactured with DEHP Length: 90 in. (229 cm) Priming Volume: 2.4 mL	50/box

CADD® Ambulatory Infusion Pumps and Programming Software






CADD®-Solis An	CADD®-Solis Ambulatory Infusion Systems		
Product Code	Description		
21-2111-0401*	CADD®-Solis v4.1 PCA Ambulatory Pump, English Only Supports the Wireless Communication Module		
21-2112-0401*	CADD®-Solis v4.1 Ambulatory Pump with yellow keypad, English Only Supports the Wireless Communication Module		
21-2111-0300	CADD®-Solis v3.0 Ambulatory Pump with grey keypad For PCA with Programmed Intermittent Bolus		
21-2112-0300	CADD®-Solis v3.0 Ambulatory Pump with yellow keypad For PCEA with Programmed Intermittent Bolus		



CADD®-Solis VII	CADD®-Solis VIP Ambulatory Infusion Pump	
Product Code	Description	
21-2120-0103	CADD®-Solis VIP Ambulatory Pump Five (5) multi-therapy modes: PCA/PCEA, TPN, Continuous, Intermittent, Step	
21-2120-0104-01	CADD®-Solis VIP Pump with PharmGuard® Administrator Medication Safety Software (BLUE)	
21-2125-0104-01	CADD®-Solis VIP Pump with Select Protocols (GREEN)	
21-2127-0104-01	CADD®-Solis VIP Pump with Standard Settings (BLACK)	







Programming Software for CADD®-Solis Ambulatory Pumps		
Product Code	Description	
21-2194-0402-25	PharmGuard® Administrator v4.2 Medication Safety Software (CD) For CADD®-Solis Pumps	
21-2193-0402-25	PharmGuard® Point of Care v4.2 Medication Safety Software (CD) For CADD®-Solis Pumps	
21-2136-0200-25	PharmGuard® SureLink® Remote Support Software - PC Direct Connect	
67-2470-040100-51*	Electronic Software Update to CADD®-Solis v4.1 Pump Firmware, English Only	
21-2194-0303-25	CADD®-Solis Administrator v3.3 Medication Safety Software (CD) For CADD®-Solis and CADD®-Solis VIP Pumps	
21-2193-0303-25	CADD®-Solis Point of Care v3.3 Medication Safety Software (CD) For CADD®-Solis Pumps	
21-2194-0301-25	CADD®-Solis Administrator v3.1 Medication Safety Software (CD) For CADD®-Solis and CADD®-Solis VIP Pumps	

CADD® Pump Accessories



CADD®-Solis Power Sources

Power to the pump is provided by either 4 AA batteries, an AC adapter with power cord, rechargeable battery pack, or wireless communication module.



Product Code	Description
21-2146	Power Cord, Europe For use with AC adapter (21-2140)
21-2160	Battery Pack, Rechargeable
21-0270	AC Adapter - Wallmount For use with CADD®-Solis pumps
21-2130	CADD®-Solis Wireless Communication Module for use with CADD®-Solis v4 pumps





Replacement Parts		
Product Code	Description	
21-2185-51	CADD® Pump Key For use with all CADD® pumps	
21-2184-51	CADD®-Solis Battery Door	
21-6216-64	CADD-Legacy® Battery Door	
67-2130-51	LI-ION, 5200 MAH Replacement Battery, CADD®-Solis Wireless Communication Module	
67-2474-51	Replacement Polemount Capture, CADD®-Solis Wireless Communication Module	







^{*}subject to availability





CADD®-Solis Pump Lockboxes with Full Keypad Access Product Code Description Large LockBox with CADD® Key Lock -21-2188-25 Clear Compatible with CADD®-Solis pump and standard IV bags up to 500 mL Large LockBox with CADD® Key Lock -21-2189 -25 Yellow Compatible with CADD®-Solis pump and standard IV bags up to 500 mL Large Lockbox with Key Lock -Clear Compatible with CADD®-Solis pump and standard IV bags up to 500 mL 21-2172-25 Large Lockbox with Key Lock -21-2174-25

Yellow Compatible with CADD®-Solis pump and standard IV bags up to 500 mL





	Polemount Acc	essories
	Product Code	Description
	21-6120-24	Lockable Polemount Bracket Slides into recess on the polemount bracket adapter or lockbox to allow pole-mounting of pump or pump and lockbox
	21-2135-25	Polemount Bracket Adapter For use with CADD®-Solis pump and polemount bracket or lockable polemount bracket. Not for use when the Communication Module is attached to the pump
	21-2183-25	Polemount Swivel For use with CADD®-Solis pump and polemount bracket adapter (and move below bracket adapter)
	21-6212-24	Security Shell Adapter For use with CADD-Legacy® pump
	21-6210-24	Polemount Bracket Adapter For use with CADD-Legacy® pump



Pouches

For use with all CADD® pumps

For use with all CADD - pumps	
Reusable Pouch	es
Product Code	Description
21-2169-24	Backpack (3L capacity) (A)
21-2166-24	Backpack (1L capacity) (B)
21-2168-25	250-/500-mL Pump Pouch with Shoulder Strap (C)
21-2165-64	50-/100-mL Pump Pouch (D)
21-2167-25	250-/500-mL Waist Pouch (E)
Single Use Pouches	
Product Code	Description
21-2170-64	Black, 50-/100-mL Pump Pouches (F)
21-2171-25	Black, 250-/500-mL Pump Pouches (G)

For more information visit our website at www.smiths-medical.com

PRODUCT(S) DESCRIBED MAY NOT BE LICENSED OR AVAILABLE FOR SALE IN CANADA AND OTHER COUNTRIES

Smiths Medical ASD, Inc. 6000 Nathan Lane North Minneapolis, MN 55442, USA Phone: 1-214-618-0218 Toll-Free USA 1-800-258-5361

MMSPCA-0164



Find your local contact information at: www.smiths-medical.com/customer-support

Smiths Medical is part of the global technology business Smiths Group plc. Please see the Instructions for Use/Operator's Manual for a complete listing of the indications, contraindications, warnings and precautions. CADD, PharmGuard, CADD-Legacy and the Smiths Medical design mark are trademarks of Smiths Medical. NRFit is a registered trademark of GEDSA used with their permission. The symbol ® indicates the trademark is registered in the U.S. Patent and Trademark Office and certain other countries. All other names and marks mentioned are the trademarks or service marks of their respective owners. ©2018 Smiths Medical. All rights reserved. IN193501EN-072018